

BALL



ECO
FRIENDLY



UNLIMITED
COLOURS



100 %
WATERPROOF



UP TO 20H
ON ONE CHARGE



SHOCK
RESISTANT

MODES

White light in 3 brightnesses
Candle effect (flickering yellow)
Dynamic (unlimited colors)
Choosing a color

AUTONOMIES (white mode fixed)

Low Intensity: 20 hours
Average intensity: 12 hours
High intensity: 8 hours
Charging time: 6 hours

TECHNICAL SPECIFICATIONS

Li-Polymer battery 3.7V 1750 mAh
Power consumption : 1 Watt
AC input 110 ~ 220 V 50 - 60 Hz
Output DC 5V
52 LEDs: 16 white LEDs, 36 color LEDs
Lifetime exceeding 50,000 hours
Charging station
Optionnal RF remote control

STANDARDS

CE - FCC - ROHS - IP 68

350 MM



350 MM



BIG CUBB



ECO FRIENDLY



UNLIMITED COLOURS



100 % WATERPROOF



UP TO 20H ON ONE CHARGE



SHOCK RESISTANT

MODES

White light in 3 brightnesses
Candle effect (flickering yellow)
Dynamic (unlimited colors)
Choosing a color

AUTONOMIES (white mode fixed)

Low Intensity: 20 hours
Average intensity: 12 hours
High intensity: 8 hours
Charging time: 6 hours

TECHNICAL SPECIFICATIONS

Li-Polymer battery 3.7V 1750 mAh
Power consumption : 1 Watt
AC input 110 ~ 220 V 50 - 60 Hz
Output DC 5V
52 LEDs: 16 white LEDs, 36 color LEDs
Lifetime exceeding 50,000 hours
Charging station
Optionnal RF remote control


STANDARDS

CE - FCC - ROHS - IP 68

430 MM



430 MM



CUBE



ECO FRIENDLY



UNLIMITED COLOURS



100 % WATERPROOF



UP TO 20H ON ONE CHARGE



SHOCK RESISTANT

MODES

White light in 3 brightnesses
Candle effect (flickering yellow)
Dynamic (unlimited colors)
Choosing a color

AUTONOMIES (white mode fixed)

Low Intensity: 20 hours
Average intensity: 12 hours
High intensity: 8 hours
Charging time: 6 hours

TECHNICAL SPECIFICATIONS

Li-Polymer battery 3.7V 1750 mAh
Power consumption : 1 Watt
AC input 110 ~ 220 V 50 - 60 Hz
Output DC 5V
52 LEDs: 16 white LEDs, 36 color LEDs
Lifetime exceeding 50,000 hours
Charging station
Optionnal RF remote control

STANDARDS

CE - FCC - ROHS - IP 68

350 MM



350 MM



DEW



ECO FRIENDLY



UNLIMITED COLOURS



100 % WATERPROOF



UP TO 20H ON ONE CHARGE



SHOCK RESISTANT

MODES

White light in 3 brightnesses
Candle effect (flickering yellow)
Dynamic (unlimited colors)
Choosing a color

AUTONOMIES (white mode fixed)


Low Intensity: 20 hours
Average intensity: 12 hours
High intensity: 8 hours
Charging time: 6 hours

TECHNICAL SPECIFICATIONS

Li-Polymer battery 3.7V 1750 mAh
Power consumption : 1 Watt
AC input 110 ~ 220 V 50 - 60 Hz
Output DC 5V
52 LEDs: 16 white LEDs, 36 color LEDs
Lifetime exceeding 50,000 hours
Charging station
Optionnal RF remote control

STANDARDS

CE - FCC - ROHS - IP 68





ECO FRIENDLY



UNLIMITED COLOURS



100 % WATERPROOF



UP TO 20H ON ONE CHARGE



SHOCK RESISTANT

MODES

White light in 3 brightnesses
Candle effect (flickering yellow)
Dynamic (unlimited colors)
Choosing a color

AUTONOMIES (white mode fixed)


Low Intensity: 20 hours
Average intensity: 12 hours
High intensity: 8 hours
Charging time: 6 hours

TECHNICAL SPECIFICATIONS

Li-Polymer battery 3.7V 1750 mAh
Power consumption : 1 Watt
AC input 110 ~ 220 V 50 - 60 Hz
Output DC 5V
52 LEDs: 16 white LEDs, 36 color LEDs
Lifetime exceeding 50,000 hours
Charging station
Optionnal RF remote control

STANDARDS

CE - FCC - ROHS - IP 68



210 MM

156 MM



FLATBALL



ECO
FRIENDLY



UNLIMITED
COLOURS



100 %
WATERPROOF



UP TO 20H
ON ONE CHARGE



SHOCK
RESISTANT

MODES

White light in 3 brightnesses
Candle effect (flickering yellow)
Dynamic (unlimited colors)
Choosing a color

AUTONOMIES (white mode fixed)

Low Intensity: 20 hours
Average intensity: 12 hours
High intensity: 8 hours
Charging time: 6 hours

TECHNICAL SPECIFICATIONS

Li-Polymer battery 3.7V 1750 mAh
Power consumption : 1 Watt
AC input 110 ~ 220 V 50 - 60 Hz
Output DC 5V
52 LEDs: 16 white LEDs, 36 color LEDs
Lifetime exceeding 50,000 hours
Charging station
Optionnal RF remote control


STANDARDS

CE - FCC - ROHS - IP 68

270 MM



350 MM





ECO
FRIENDLY



UNLIMITED
COLOURS



100 %
WATERPROOF



UP TO 20H
ON ONE CHARGE



SHOCK
RESISTANT

MODES

White light in 3 brightnesses
Candle effect (flickering yellow)
Dynamic (unlimited colors)
Choosing a color

AUTONOMIES (white mode fixed)

Low Intensity: 20 hours
Average intensity: 12 hours
High intensity: 8 hours
Charging time: 6 hours

TECHNICAL SPECIFICATIONS

Li-Polymer battery 3.7V 1750 mAh
Power consumption : 1 Watt
AC input 110 ~ 220 V 50 - 60 Hz
Output DC 5V
52 LEDs: 16 white LEDs, 36 color LEDs
Lifetime exceeding 50,000 hours
Charging station
Optionnal RF remote control

STANDARDS

CE - FCC - ROHS - IP 68

500 MM



500 MM



LAMPION



ECO FRIENDLY



UNLIMITED COLOURS



100 % WATERPROOF



UP TO 20H ON ONE CHARGE



SHOCK RESISTANT

MODES

White light in 3 brightnesses
Candle effect (flickering yellow)
Dynamic (unlimited colors)
Choosing a color

AUTONOMIES (white mode fixed)

Low Intensity: 20 hours
Average intensity: 12 hours
High intensity: 8 hours
Charging time: 6 hours

TECHNICAL SPECIFICATIONS


Li-Polymer battery 3.7V 1750 mAh
Power consumption : 1 Watt
AC input 110 ~ 220 V 50 - 60 Hz
Output DC 5V
52 LEDs: 16 white LEDs, 36 color LEDs
Lifetime exceeding 50,000 hours
Charging station
Optionnal RF remote control

STANDARDS

CE - FCC - ROHS - IP 68

160 MM

135 MM





ECO
FRIENDLY



UNLIMITED
COLOURS



100 %
WATERPROOF



UP TO 20H
ON ONE CHARGE



SHOCK
RESISTANT

MODES

White light in 3 brightnesses
Candle effect (flickering yellow)
Dynamic (unlimited colors)
Choosing a color

AUTONOMIES (white mode fixed)


Low Intensity: 20 hours
Average intensity: 12 hours
High intensity: 8 hours
Charging time: 6 hours

TECHNICAL SPECIFICATIONS

Li-Polymer battery 3.7V 1750 mAh
Power consumption : 1 Watt
AC input 110 ~ 220 V 50 - 60 Hz
Output DC 5V
52 LEDs: 16 white LEDs, 36 color LEDs
Lifetime exceeding 50,000 hours
Charging station
Optionnal RF remote control

STANDARDS

CE - FCC - ROHS - IP 68



315 MM

306 MM





ECO FRIENDLY



UNLIMITED COLOURS



100 % WATERPROOF



UP TO 20H ON ONE CHARGE



SHOCK RESISTANT

MODES

White light in 3 brightnesses
Candle effect (flickering yellow)
Dynamic (unlimited colors)
Choosing a color

AUTONOMIES (white mode fixed)

Low Intensity: 20 hours
Average intensity: 12 hours
High intensity: 8 hours
Charging time: 6 hours

TECHNICAL SPECIFICATIONS

Li-Polymer battery 3.7V 1750 mAh
Power consumption : 1 Watt
AC input 110 ~ 220 V 50 - 60 Hz
Output DC 5V
52 LEDs: 16 white LEDs, 36 color LEDs
Lifetime exceeding 50,000 hours
Charging station
Optionnal RF remote control

STANDARDS

CE - FCC - ROHS - IP 68



700 MM

200 MM



VESSEL



ECO FRIENDLY



UNLIMITED COLOURS



100 % WATERPROOF



UP TO 20H ON ONE CHARGE



SHOCK RESISTANT

MODES

White light in 3 brightnesses
Candle effect (flickering yellow)
Dynamic (unlimited colors)
Choosing a color

AUTONOMIES (white mode fixed)

Low Intensity: 20 hours
Average intensity: 12 hours
High intensity: 8 hours
Charging time: 6 hours

TECHNICAL SPECIFICATIONS

Li-Polymer battery 3.7V 1750 mAh
Power consumption : 1 Watt
AC input 110 ~ 220 V 50 - 60 Hz
Output DC 5V
52 LEDs: 16 white LEDs, 36 color LEDs
Lifetime exceeding 50,000 hours
Charging station
Optionnal RF remote control

STANDARDS

CE - FCC - ROHS - IP 68



397 mm

288 mm





ECO FRIENDLY



UNLIMITED COLOURS



100 % WATERPROOF



UP TO 20H ON ONE CHARGE



SHOCK RESISTANT

MODES

White light in 3 brightnesses
Candle effect (flickering yellow)
Dynamic (unlimited colors)
Choosing a color

AUTONOMIES (white mode fixed)

Low Intensity: 20 hours
Average intensity: 12 hours
High intensity: 8 hours
Charging time: 6 hours

TECHNICAL SPECIFICATIONS

Li-Polymer battery 3.7V 1750 mAh
Power consumption : 1 Watt
AC input 110 ~ 220 V 50 - 60 Hz
Output DC 5V
52 LEDs: 16 white LEDs, 36 color LEDs
Lifetime exceeding 50,000 hours
Charging station
Optionnal RF remote control

STANDARDS


CE - FCC - ROHS - IP 68



280 MM



420 MM






Pebble

Simple, usefull & effortless.


The remote control "Pebble" allows you to pilot freely your Smart & Green lamp.


Based on radiofrequency technology, "Pebble" control more than 100 lamps at the same time, up to 20 meters and through barriers like windows or sofa.

Splashproof, "Pebble" will follow your lamp where it will enlight your space.



Standards
CE - FCC - ROHS - IP 55



 clic	x1	x2	x3	x4	x5	x6
FR	ON blanc	rouge	vert	bleu	défilement couleurs	OFF
EN	ON white	red	green	blue	color rolling	OFF
DE	ON weiss	rot	grün	blau	farben rollieren	OFF
ES	ON blanco	rojo	verde	azul	colores de rodadura	OFF
IT	ON bianco	rosso	verde	blu	colori rotolano	OFF
PT	ON branco	vermelho	verde	azul	cores material	OFF